



QTERM-G75

Panel-mount HMI

The QTERM-G75 is a cost-effective, rugged, aluminum, panel-mount operator interface with a 10.4" (264 mm) color lighted LCD display, programmable external keys, Ethernet, and serial, communication options.

640x480 pixel, 264 mm (10.4") diagonal, color TFT (256 colors), lighted graphic LCD display.

Panel-mount enclosure or as module for tighter integration

-10 to 60 °C operating temperature

Touch screen with soft keys on and around viewable area

NEMA-4 sealing

8 to 26 VDC

Qlarity-based object-based programming language, Qlarity Foundry Windows design environment

i [Important life cycle dates, read more ->](#)

Facts

General description

Part number	QTERM-GBxxx
Life cycle status	Discontinued
Warranty	1 year

Certifications

General	FCC, CE
---------	---------

Mechanical

Mechanical size	330 x 260 x 56 mm
Touch type	Resistive
Cut-out size	255 x 183 mm
Weight	3.2 kg
Housing material	Aluminum

Power

Input voltage	8 to 26 VDC
Power consumption (max)	1.2 A at 12 VDC

System

RAM	16 MB
FLASH	4 MB

Software

Operating system	Windows CE
------------------	------------

Display

Size diagonal	10.4" (254 mm)
Resolution	640 x 480
Backlight	Cold-cathode fluorescent
Backlight dimming	Software-controllable

Ethernet communication

Number of Ethernet ports	1
Ethernet port 1	1x10 Base-T

Environmental

Operating temperature	-10 to 60 °C
Storage temperature	-20 to 70 °C
Shock	20 g, 3 ms, any axis
Vibration	5 to 5000 Hz, 4 g RMS
Sealing front	NEMA-4
Humidity	0 to 95%, non-condensing

People & Technology. Connected.

We are a people company. Our experienced, skilled and passionate people empower you to meet your challenges through best-in-class, user-friendly solutions. We are a technology company. We help you optimize processes through our software, hardware and services, and through our support. Connecting people and technologies gives you the means to accomplish your goals and ambitions, and gain a competitive edge in today's digitalized world.

Visiting address HQ: Stora Varvsgatan 13a

SE - 211 75 Malmö, SWEDEN

+46 40 35 86 00 (tel:+46 40 35 86 00)

info@bejjerelectronics.com (mailto:info@bejjerelectronics.com)

