



Wave II Multitouch 21,5" (16:9)

Up to 3 years warranty

Full glass front with PCAP multitouch

1920 × 1080 pixel (Full HD)

-15°C to +70°C operating temperature

DVI-I (Analogue and Digital), Display port, DDC/CI (DVI & DP)

±89° viewing angle

IEC 60945 and IACS E10

Facts

General description

Part number	WE215 000 118
Life cycle status	Active
Warranty	Up to 3 years

Certifications

General	CE
Marine	DNV GL, IEC 60945, IEC 61174 (ECDIS), IEC 60936 (radar)

Mechanical

Mechanical size	513,6 (W) x 310,6 (H) x 78 (D) mm
Mounting option	Flush mount
Touch type	10 Point PCAP multitouch
Cut-out size	Depends on selected mounting option, see datasheets
Weight	6.4 kg
Housing material	RAL 9005 fine structure

Power

Input voltage	90-264 VAC (IEC inlet)
Power consumption (max)	41W

Display

Size diagonal	21,5" diagonal
Resolution	1920 x 1080 pixels
Backlight	LED backlight
Backlight life time	50000 hours
Backlight brightness	300 cd/m2
Backlight dimming	Marine optimized dimming, 0 - 100%
Display type	TFT-LCD with LED backlight

Serial communication

Number of serial ports	3 Ports
Serial port 1	RS 232
Serial port 2	RS422/RS485 terminal block
Serial port 3	RS422/RS485 terminal block

Ethernet communication

Number of Ethernet ports	1
Ethernet port 1	1x10/100 Base-T (shielded RJ45)

Expansion interface

SD card	micro SD
USB	2xUSB 2.0 / 1 x USB Type B (touch only)

Environmental

Operating temperature	-15°C to +70°C
Storage temperature	-15°C to +70°C
Vibration	0,7g, according to IEC 60068-2-6, Test Fc
Sealing front	IP42

People & Technology. Connected.

We are a people company. Our experienced, skilled and passionate people empower you to meet your challenges through best-in-class, user-friendly solutions. We are a technology company. We help you optimize processes through our software, hardware and services, and through our support. Connecting people and technologies gives you the means to accomplish your goals and ambitions, and gain a competitive edge in today's digitalized world.

Visiting address HQ: Stora Varvsgatan 13a

SE - 211 75 Malmoe, SWEDEN

[+46 40 35 86 00 \(tel:+46 40 35 86 00\)](tel:+4640358600)

[info@beijerelectronics.com \(mailto:info@beijerelectronics.com\)](mailto:info@beijerelectronics.com)